


Indicators of Alcohol and Other Drug Risk and Consequences for California Counties



Alpine County

2007

Indicators of Alcohol and Other Drug Risk and Consequences for California Counties



Alpine County

2007

Key Indicators of Community Alcohol and Drug Use

Table of Contents

Introduction.....	1
Dashboard	3
Prevalence of Alcohol Use	4

Indicator 1 & 2: Prevalence of Past Month Alcohol Use

Table/Figure 1.1		Estimated Number and Percent of Persons 18 Years and Over Who Reported Any Use of Alcohol or Binge Drinking in the Past Thirty Days in Alpine, Amador, Calaveras, Inyo, Mariposa, Mono and Tuolumne Counties with Comparison to State Rates	5
Table/Figure 1.2		Estimated Number of Persons Reporting Any Alcohol Use of Any Binge Drinking in Alpine, Amador, Calaveras, Inyo, Mariposa, Mono and Tuolumne Counties by Gender	5
Table	1.3	Estimated Number of Persons Reporting Any Alcohol Use or Any Binge Drinking in Alpine, Amador, Calaveras, Inyo, Mariposa, Mono and Tuolumne Counties by Race/Ethnicity	6
Figure	1.3	Past Month Alcohol Use by Race/Ethnicity	6
Figure	1.4	Past Month Binge Drinking by Race/Ethnicity	6
Table	1.4	Estimated Number of Persons Reporting Any Alcohol Use or Any Binge Drinking in Alpine, Amador, Calaveras, Inyo, Mariposa, Mono and Tuolumne Counties by Age	7
Figure	1.5	Past Month Alcohol Use by Age Category	7
Figure	1.6	Past Month Binge Drinking by Age Category	7
Table	1.5	Estimated Number of Adolescents Under Age 18 Reporting Past Month Binge Drinking in Alpine, Amador, Calaveras, Inyo, Mariposa, Mono and Tuolumne Counties	8

Admissions to Alcohol and Drug Treatment.....	9
---	---

Indicator 3: Admissions to Alcohol and Drug Treatment

Table/Figure 3.1		Number of Admissions to Alcohol and Drug Treatment and Rate per 100,000 with Comparison to Statewide Rates.....	10
Table	3.2	AOD Treatment Admissions to Primary Drug Type, Percent of Total, and Rate per 100,000 Population 10-69 Years.....	10
Figure	3.2	2000 Admissions and Rates by Primary Drug Type.....	10
Figure	3.3	2004 Admissions and Rates by Primary Drug Type.....	10
Table	3.3	Treatment Admissions by Client Age and Age-Specific Rate per 100,000 Population.....	11
Table	3.4	Admissions to Alcohol and Drug Treatment by Client Race/Ethnicity and Rate per 100,000.....	12
Figure	3.4	County Treatment Admissions Rate per 100,000 Population 10-69 by Primary Drug Type.....	13
Figure	3.5	County Treatment Admission Rate per 100,000 Population by Client Age	13
Figure	3.6	County Treatment Admission Rate per 100,000 by Client Race/Ethnicity.....	13
Table	3.5	Characteristics of Clients Admitted to Alcohol and Drug Treatment.....	14
Table	3.6	AOD Treatment Admissions Among Youth Under Age 18 by Primary Drug Type and Percent of Total Admissions.....	15

Table	3.7	AOD Treatment Admissions Among Youth Under Age 18 by Client Race/Ethnicity, Rate per 100,000 Population 10 to 17, and Percent of Total Youth Admissions	16
Alcohol and Drug Related Crime.....			17

Indicator 4: Arrests for Drug-Related Crime

Table/Figure	4.1	Number of Felony and Misdemeanor Arrests for Drug Offenses and Rate per 100,000 Population 10-69 Years.....	18
Table	4.2	Number of Felony and Misdemeanor Arrests for Drug Offenses by Specific Offense and Rate per 100,000 Population 10-69 Years	18
Table	4.3	Number of Arrests for Felony and Misdemeanor Drug Offenses by Race/Ethnicity of Offender and Rate per 100,000 Population.....	19
Table	4.4	Number of Arrests for Felony and Misdemeanor Drug Offenses by Age of Offender and Age-Specific Rate per 100,000 Population	20
Figure	4.2	County Drug Arrest Rate per 100,000 Population 10-69 for Drug Offenses.....	21
Figure	4.3	County Age-Specific Drug Arrest Rate per 100,000 Population 10-69 by Age Group.....	21
Figure	4.4	County Drug Arrest Rate per 100,000 Population 10-69 by Client Race/Ethnicity	21
Table	4.5	Number of Arrests for Felony and Misdemeanor Drug Offenses by Gender and Race Among Underage Offenders and Rate per 100,000 Population 10-17 Years.....	22

Indicator 5: Arrests for Alcohol-Related Crime

Table/Figure	5.1	Number of Felony and Misdemeanor Arrests for Alcohol Offenses and Rate per 100,000 Population 10-69 Years.....	23
Table	5.2	Number of Felony and Misdemeanor Arrests for Alcohol Offenses by Specific Offense and Rate per 100,000 Population 10-69 Years	23
Table	5.3	Number of Arrests for Felony and Misdemeanor Alcohol Offenses by Race/Ethnicity of Offender and Rate per 100,000 Population.....	24
Table	5.4	Number of Arrests for Felony and Misdemeanor Alcohol Offenses by Age of Offender and Age-Specific Rate per 100,000 Population	25
Figure	5.2	County Alcohol Arrest Rate per 100,000 Population 10-69 for Alcohol Offenses.....	26
Figure	5.3	County Age-Specific Alcohol Arrest Rate per 100,000 Population 10-69 by Age Group.....	26
Figure	5.4	County Alcohol Arrest Rate per 100,000 Population 10-69 by Client Race/Ethnicity	26
Table	5.5	Number of Arrests for Felony and Misdemeanor Alcohol Offenses by Gender and Race Among Underage Offenders and Rate per 100,000 Population 10-17 Years	27
Drinking and Driving.....			28

Indicator 6: Alcohol-Involved Motor Vehicle Accidents

Table/Figure	6.1	County Fatalities in Alcohol-Involved Accidents and Rate per 100,000 with Comparison to Statewide Rates.....	29
Table	6.2	County Fatalities in Alcohol-Involved Accidents as a Percent of Total Collisions with a Comparison of Underage Drivers.....	29
Table	6.3	Parties in Alcohol-Involved Accidents Who Had Been Drinking by Party Gender and Race and Rate per 100,000 Population Ages 16 and Over	30

Table	6.4	Parties in Alcohol-Involved Accidents Who Had Been Drinking by Age and Rate per 100,000 Population.....	31
Figure	6.2	County 'Had Been Drinking' Drivers per 100,000 Population of Driving Age (16 and Over) by Age	32
Table	6.5	Underage Parties (<21 Years) in Alcohol-Involved Accidents Who Had been Drinking by Party Gender and Race and Rate per 100,000 Population Ages 16 – 20.....	32
Table	6.6	Youth who Have Ridden in a Car with Someone Who Had Been Drinking Percent of Youth Population by Gender in Alpine, Amador, Calaveras, Inyo, Mariposa, Mono and Tuolumne with Comparison to State Rates.....	33
Figure	6.3	Percent of Youth Who Have Ridden in a Car with Someone who Had Been Drinking.....	33

Alcohol and Drug-Related Morbidity..... 34

Indicator 7: Hospitalization Due to Alcohol and Drug Use

Table/Figure	7.1	Number of Hospital Admissions Due to Alcohol and Drug-Related Causes (Combined) and Rate per 100,000 with Comparison to Statewide Rates.....	35
Table/Figure	7.2	Number of Hospital Admissions Due to <i>Alcohol</i> -Related Causes and Rate per 100,000 with Comparison to Statewide Rates.....	35
Table/Figure	7.3	Number of Hospital Admissions Due to <i>Drug</i> -Related Causes and Rate per 100,000 with Comparison to Statewide Rates.....	35
Table	7.4	Number of Hospital Admissions Due to Alcohol and Drug-Related Causes by Specific Cause.....	36

Alcohol and Drug-Related Mortality..... 37

Indicator 8: Deaths Due to Alcohol and Drug Use

Table/Figure	8.1	Number of Deaths due to Alcohol and Drug-Related Causes and Age-Adjusted Rate per 100,000 with comparison to Statewide Rates	38
Table	8.2	Number of Deaths Due to Cirrhosis of the Liver and Rate per 100,000 and Comparison to Healthy People 2010 Objective	38
Table	8.3	Number of Drug-Induced Deaths and Rate per 100,000 and Comparison to healthy People 2010 Objective	38
Table	8.4	Number of Deaths due to Alcohol and Drug-Related Causes by Specific Cause	39
Table	8.5	Number of Deaths Due to Alcohol and Drug-Related Causes by Population Demographics of Decedents with Percent of Total Deaths.....	40

Sources..... 41

Introduction

In the mid-1990s, the California Department of Alcohol and Drug Programs, in collaboration with the Center for Applied Research Solutions (CARS), Inc. began to work toward improving the state's prevention information system. A key component of this information system was the continuous collection, monitoring and reporting of selected community-level indicators that would serve as direct and indirect measures of alcohol and other drug use prevalence and related problems. This information system was designed to assist with state and local prevention planning and policy-making by providing useful, systematic data about prevention and treatment needs and outcomes throughout the state.

The present report is the most recent product of this ongoing effort. It differs from earlier versions in a few important ways. First, while previous reports typically summarized data for more than twenty-five indicators of health and social conditions that are theoretically linked to problem substance use, the current version is more streamlined, focusing on eight key indicators of AOD use and abuse prevalence and their direct consequences, including impacts on the criminal justice, health and alcohol and drug treatment systems. Second, the 2007 report updates information contained in earlier versions, but expands in its depth to summarize data for populations within the larger county, including age, gender, and race/ethnicity sub-groups. This expanded detail allows for more precise analyses of alcohol and drug use problems within a county population and enhances the ability to effectively target prevention and intervention strategies to community needs. Similar to previous reports, the 2007 version includes simple analytic tools to help users interpret the information presented. This includes use of population-based rates (e.g., the number of incidents relative to the total population) to make meaningful comparisons between geographic areas that differ in population size, or comparisons between differing time points. Data is presented at both the county and state level to allow county rates to be evaluated against a relative average

The overall intent of the report is to provide a simple, easy-to-use resource that helps synthesize and interpret the most relevant indicator data currently available to assess substance use problems, in an effort to optimize prevention planning and outcome measurement efforts in communities through the state. Specifically, it is designed to support the work of planners, policy-makers, and practitioners in the field in:

- Determining the incidence of alcohol and other drug use problems within county populations and sub-populations;
- Monitoring trends in problem incidence to identify emergent issues and detect changes in status over time;
- Establishing program resource levels that are appropriate to address the nature and extent of prevention and treatment needs; and,
- Documenting progress toward achieving targeted prevention objectives and outcomes.

The report contains information on several key indicators of alcohol and drug prevalence and consequences for California populations in each of the following six areas:

- Household prevalence of problem alcohol use and use of illicit drugs;
- Admissions to publicly-funded alcohol and drug treatment facilities;
- Arrests for alcohol and drug-related criminal offenses;
- Motor vehicle accidents involving drivers who had been drinking;
- Hospitalizations for alcohol and drug-related conditions; and,
- Mortality attributable to acute and chronic alcohol and drug use.

Each report contains data compiled from several sources, including a statewide, longitudinal survey of California household populations, and state data systems housing public archival records from four central agencies, including the California Department of Justice, the California Highway Patrol, the California Department of Health Services, and the Office of Statewide Health Planning and Development (OSHPD). This reliance on statewide data sources ensures that the information reported is drawn from reliable and valid measures that are routinely and uniformly collected across jurisdictions (i.e., all counties use the same data collection), allowing for comparisons over time, across counties, and between counties and the state.

Key Indicators of Community Alcohol and Drug Use • Alpine County

	2000	2001	2002	2003	2004	Three Year Average	Ranking
INDICATOR 1	•	87,000	•	80,000	•	80,000 ¹	+
Past Month Alcohol Use	•	134,000	•	140,000	•	140,000	
Percentage of Total Respondents	•	65.4%	•	56.9%	•	56.9%	
INDICATOR 2	•	22,000	•	20,000	•	20,000 ¹	+
Past Month Binge Drinking	•	132,000	•	140,000	•	140,000	
Percentage of Total Respondents	•	16.7%	•	14.5%	•	14.5%	
INDICATOR 3	3	5	5	0	6	4	+
Admissions to Alcohol and Other Drug Treatment	1,048	1,055	1,060	1,058	1,057	1,058	
Rate per 1000 Population 10-69	286.3	473.9	471.7	0.0	567.6	346.5	
INDICATOR 4	15	28	46	44	40	43	+
Arrests for Drug-Related Offenses	1,048	1,055	1,060	1,058	1,057	1,058	
Rate per 100,000 Population 10-69	1431.3	2654.0	4339.6	4158.8	3784.3	4094.5	
INDICATOR 5	43	72	98	107	60	88	+
Arrests for Alcohol-Related Offenses	1,048	1,055	1,060	1,058	1,057	1,058	
Rate per 100,000 Population 10-69	4103.1	6824.6	9245.3	10113.4	5676.4	8346.5	
INDICATOR 6	3	3	1	1	**	2	+
Alcohol-Involved Motor Vehicle Accident Fatalities	1,261	1,269	1,281	1,293	**	1,281	
Rate per 100,000 Population	237.9	236.4	78.1	77.3	**	130.1	
INDICATOR 7	0	0	**	0	**	0	+
Alcohol and Drug Use Hospitalizations	1,261	1,269	1,281	1,293	**	1,281	
Rate per 100,000 Population	0.0	0.0	**	0.0	**	0.0	
INDICATOR 8	0	1	0	0	**	0	+
Deaths Due to Alcohol and Drug Use	1,261	1,269	1,281	1,293	**	1,281	
Rate per 100,000 Population	0.0	68.7	0.0	0.0	**	22.9	

** Data not available for most current reporting year. + County comparative rankings not yet calculated. ¹ 2003 prevalence rate; no three- year average calculated.

Prevalence of Alcohol Use

Key Findings

- The prevalence of past month alcohol use and binge drinking for Alpine, Amador, Calaveras, Inyo, Mariposa, Mono, and Tuolumne counties in 2003 was similar to statewide rates. The percent of persons 18 years and older who reported past month alcohol use in 2003 was roughly 57 percent, and the binge drinking rate was 15 percent.
- In 2003, roughly 64 percent of males reported past month alcohol use and 50 percent of females reported past month alcohol use. Roughly 23 percent of males reported binge drinking in the past month and seven percent of females reported binge drinking in the past month.
- Roughly 70 percent of Hispanics reported past month alcohol use in 2003, and roughly 57 percent of Whites reported past month use. These estimates should be interpreted with caution due to small sample sizes by race/ethnicity group.
- Alcohol use rates varied by age group. Over 60 percent of individuals between 25 and 34 percent drank alcohol in the past month, as did individuals between 45 and 64 years. Roughly 40 percent of individuals between 18 and 24 drank alcohol in the past month. The highest binge drinking rate was for 25 to 34 year olds at a rate of 25 percent.
- In 2003 roughly 5.5 percent of adolescents under age 18 reported binge drinking in the past month, slightly less than the statewide average of 6.3 percent.



Indicators 1 & 2: Prevalence of Past Month Alcohol Use


The number and percent of persons in the population who reported any use of alcohol and number of persons who reported any binge drinking in the past thirty days.

Table/Figure 1.1

Estimated Number and Percent of Persons 18 Years and Over Who Counties Reported Any Use of Alcohol or Any Binge Drinking in the Past Thirty Days in **Alpine, Amador, Calaveras, Inyo, Mariposa, Mono and Tuolumne** with Comparison to Statewide Rates

	Any Alcohol Use		Binge Drinking	
	2001	2003	2001	2003
Estimated Number *	87,000	80,000	22,000	20,000
Estimated Population 18 and over	134,000	140,000	132,000	140,000
Percent of Total Population	65.4%	56.9%	16.7%	14.5%
CALIFORNIA Estimated Percent	57.9%	57.4%	15.4%	15.1%


* Estimates rounded to the nearest thousand.



Table/Figure 1.2

Estimated Number of Persons Reporting Any Alcohol Use or Any Binge Drinking in **Alpine, Amador, Calaveras, Inyo, Mariposa, Mono and Tuolumne** Counties by Gender

		Any Alcohol Use		Binge Drinking	
		2001	2003	2001	2003
Male	Estimated Number	45,000	44,000	14,000	16,000
	Estimated Population	66,000	69,000	65,000	69,000
	Percent of Population	68.1%	63.7%	22.2%	22.7%
Female	Estimated Number	43,000	36,000	8,000	5,000
	Estimated Population	68,000	71,000	67,000	71,000
	Percent of Population	62.8%	50.2%	11.4%	6.5%



Healthy People 2010
U.S. Department of Health and
Human Services

Objectives 26-10a

Increase the proportion of adolescents not using any alcohol or illicit drugs in the past thirty days.

•••

Objectives 26-11c

Decrease the proportion of adults engaging in binge drinking of alcoholic beverages during the past month.

Indicators 1 & 2: Prevalence of Past Month Alcohol Use (Continued)

Table 1.3
Estimated Number of Persons Reporting Any Alcohol Use or Any Binge Drinking in **Alpine, Amador, Calaveras, Inyo, Mariposa, Mono and Tuolumne** Counties by Race/Ethnicity

		Any Alcohol Use		Binge Drinking	
		2001	2003	2001	2003
American Indian	Estimated Number	1,000	-	-	-
	Estimated Population	3,000	-	-	-
	Percent of Population	56.1%	-	-	-
Asian/Pacific Islander	Estimated Number	1,000	2,000	-	-
	Estimated Population	3,000	2,000	-	-
	Percent of Population	20.8%	100.0%	-	-
Black	Estimated Number	-	1,000	-	-
	Estimated Population	-	2,000	-	-
	Percent of Population	-	50.8%	-	-
Hispanic	Estimated Number	3,000	5,000	1,000	2,000
	Estimated Population	5,000	7,000	5,000	7,000
	Percent of Population	61.1%	69.9%	12.5%	33.0%
White	Estimated Number	80,000	71,000	20,000	17,000
	Estimated Population	120,000	124,000	119,000	124,000
	Percent of Population	66.7%	56.9%	16.9%	14.0%
Other	Estimated Number	2,000	1,000	1,000	-
	Estimated Population	3,000	4,000	3,000	-
	Percent of Population	64.1%	36.1%	36.3%	-

- Estimate not reported due to small sample size.

Figure 1.3
Past Month Alcohol Use by Race/Ethnicity





Figure 1.4
Past Month Binge Drinking by Race/Ethnicity



Indicators 1 & 2: Prevalence of Past Month Alcohol Use (Continued)

Table 1.4
Estimated Number of Persons Reporting Any Alcohol Use or Any Binge Drinking in **Alpine, Amador, Calaveras, Inyo, Mariposa, Mono and Tuolumne** Counties by Age

		Any Alcohol Use		Binge Drinking	
		2001	2003	2001	2003
18 to 24	Estimated Number	9,000	6,000	4,000	1,000
	Estimated Population	12,000	14,000	12,000	14,000
	Percent of Population	75.3%	40.4%	36.2%	7.3%
25 to 34	Estimated Number	10,000	8,000	3,000	4,000
	Estimated Population	15,000	14,000	15,000	14,000
	Percent of Population	65.6%	61.4%	19.0%	25.4%
35 to 44	Estimated Number	16,000	13,000	5,000	5,000
	Estimated Population	25,000	27,000	25,000	27,000
	Percent of Population	65.4%	50.7%	21.9%	19.9%
45 to 54	Estimated Number	20,000	18,000	5,000	5,000
	Estimated Population	29,000	30,000	29,000	30,000
	Percent of Population	69.0%	62.2%	18.3%	17.2%
55 to 64	Estimated Number	13,000	15,000	2,000	3,000
	Estimated Population	21,000	23,000	21,000	23,000
	Percent of Population	62.4%	63.4%	9.0%	14.7%
65 and Over	Estimated Number	19,000	19,000	2,000	2,000
	Estimated Population	31,000	33,000	31,000	33,000
	Percent of Population	60.1%	57.5%	7.6%	6.0%

Figure 1.5
Past Month Alcohol Use by Age Category





Figure 1.6
Past Month Binge Drinking by Age Category



Indicators 1 & 2: Prevalence of Past Month Alcohol Use (Continued)

Table 1.5
Estimated Number of Adolescents Under Age 18 Reporting Past Month Binge Drinking in **Alpine, Amador, Calaveras, Inyo, Mariposa, Mono and Tuolumne** Counties

		2001	2003
CALIFORNIA	Estimated Number	200,000	205,000
	Estimated Population	3,040,000	3,260,000
	Percent of Population	6.6%	6.3%
Alpine, Amador, Calaveras, Inyo, Mariposa, Mono and Tuolumne	Estimated Number	2,000	1,000
	Estimated Population	15,000	16,000
	Percent of Population	15.6%	5.5%
Male	Estimated Number	2,000	1,000
	Estimated Population	8,000	9,000
	Percent of Population	24.6%	10.1%
Female	Estimated Number	-	-
	Estimated Population	-	-
	Percent of Population	-	-
American Indian	Estimated Number	-	-
	Estimated Population	-	-
	Percent of Population	-	-
Asian/Pacific Islander	Estimated Number	-	-
	Estimated Population	-	-
	Percent of Population	-	-
Black	Estimated Number	-	-
	Estimated Population	-	-
	Percent of Population	-	-
Hispanic	Estimated Number	-	-
	Estimated Population	-	-
	Percent of Population	-	-
White	Estimated Number	2,000	1,000
	Estimated Population	13,000	13,000
	Percent of Population	17.6%	6.7%
Other	Estimated Number	-	-
	Estimated Population	-	-
	Percent of Population	-	-

Admissions to Alcohol and Drug Treatment

Key Findings

- In 2004 there were six admissions to alcohol and drug treatment, an increase from three in 2000. The rate of admissions in 2004 was 568 admissions per 100,000, lower than the statewide average of 802 per 100,000.
- Of the six admissions to alcohol and drug treatment in 2004, four were for methamphetamines and two were for alcohol.
- Of the six admissions to alcohol and drug treatment in 2004, two were for individuals between 18 and 24 years, two were for individuals between 45 and 54 years, and one was for an individual between 25 and 34 years. One admission was for a youth between 10 and 17 years.
- Of the six admissions to alcohol and drug treatment in 2004, four were American Indian, and two were White.
- All six admissions to alcohol and drug treatment in 2004 were female. In 2000 all admissions were male.
- Of the six admissions to alcohol and drug treatment in 2004, five had initiated substance use between 15 and 17 years, and one had initiated substance use between 11 and 12 years.
- None of the admissions in 2004 were IV drug users, and none were pregnant.
- The one youth between 10 and 17 years admitted in 2004 was admitted for methamphetamine use.



Indicator 3: Admissions to Alcohol and Drug Treatment

The number of admissions to publicly funded alcohol and other drug treatment facilities in California and rate of admission per 100,000 population 10 to 69 years.

Table/Figure 3.1
Number of Admissions to Alcohol and Drug Treatment and Rate per 100,000 with Comparison to Statewide Rates

	2000	2001	2002	2003	2004
Number of Treatment Admissions	3	5	5	0	6
Population 10-69	1,048	1,055	1,060	1,058	1,057
Rate per 100,000	286.3	473.9	471.7	0.0	567.6
CALIFORNIA Rate per 100,000	842.3	915.6	908.4	862.1	801.7




Table 3.2
AOD Treatment Admissions by Primary Drug Type, Percent of Total Admissions, and Rate per 100,000 Population 10-69 Years

	2000	2001	2002	2003	2004
TOTAL ADMISSIONS	3	5	5	0	6
Methamphetamines	0 0.0% 0.0	1 20.0% 94.8	1 20.0% 94.3	0 0.0% 0.0	4 66.7% 378.4
Alcohol	3 100.0% 286.3	2 40.0% 189.6	2 40.0% 188.7	0 0.0% 0.0	2 33.3% 189.2
Marijuana	0 0.0% 0.0	2 40.0% 189.6	1 20.0% 94.3	0 0.0% 0.0	0 0.0% 0.0
Heroin	0 0.0% 0.0	0 0.0% 0.0	1 20.0% 94.3	0 0.0% 0.0	0 0.0% 0.0
Crack/Cocaine	0 0.0% 0.0	0 0.0% 0.0	0 0.0% 0.0	0 0.0% 0.0	0 0.0% 0.0
Other Drugs	0 0.0% 0.0	0 0.0% 0.0	0 0.0% 0.0	0 0.0% 0.0	0 0.0% 0.0

Figure 3.2
2000 Admissions by Primary Drug Type





Figure 3.3
2004 Admissions by Primary Drug Type



Indicator 3: Admissions to Alcohol and Drug Treatment (Continued)

Table 3.3
Treatment Admissions by Client Age and Age-Specific Rate per 100,000 Population

		2000	2001	2002	2003	2004
TOTAL ADMISSIONS		3	5	5	0	6
10-17 Years	Number	0	0	0	0	1
	Population	158	145	136	130	119
	Rate per 100,000	0.0	0.0	0.0	0.0	840.3
	Percent of Total	0.0%	0.0%	0.0%	0.0%	16.7%
18-24 Years	Number	0	2	1	0	2
	Population	131	141	151	154	154
	Rate per 100,000	0.0	1418.4	662.3	0.0	1298.7
	Percent of Total	0.0%	40.0%	20.0%	0.0%	33.3%
25-34 Years	Number	0	1	1	0	1
	Population	124	131	133	134	140
	Rate per 100,000	0.0	763.4	751.9	0.0	714.3
	Percent of Total	0.0%	20.0%	20.0%	0.0%	16.7%
35-44 Years	Number	2	2	1	0	0
	Population	219	203	188	177	0
	Rate per 100,000	913.2	985.2	531.9	0.0	0.0
	Percent of Total	66.7%	40.0%	20.0%	0.0%	0.0%
45-54 Years	Number	1	0	2	0	2
	Population	242	253	258	258	251
	Rate per 100,000	413.2	0.0	775.2	0.0	796.8
	Percent of Total	33.3%	0.0%	40.0%	0.0%	33.3%
55-64 Years	Number	0	0	0	0	0
	Population	126	127	135	147	161
	Rate per 100,000	0.0	0.0	0.0	0.0	0.0
	Percent of Total	0.0%	0.0%	0.0%	0.0%	0.0%
65+ Years	Number	0	0	0	0	0
	Population	128	141	156	169	182
	Rate per 100,000	0.0	0.0	0.0	0.0	0.0
	Percent of Total	0.0%	0.0%	0.0%	0.0%	0.0%

Indicator 3: Admissions to Alcohol and Drug Treatment (Continued)

Table 3.4
Admissions to Alcohol and Drug Treatment by Client Race/Ethnicity and Rate per 100,000

		2000	2001	2002	2003	2004
TOTAL ADMISSIONS		3	5	5	0	6
American Indian	Number	0	1	1	0	4
	Population	161	163	165	166	167
	Rate per 100,000	0.0	613.5	606.1	0.0	2395.2
	Percent of Total	0.0%	20.0%	20.0%	0.0%	66.7%
Asian/Pacific Islander	Number	0	0	0	0	0
	Population	5	5	5	5	5
	Rate per 100,000	0.0	0.0	0.0	0.0	0.0
	Percent of Total	0.0%	0.0%	0.0%	0.0%	0.0%
Black	Number	0	0	0	0	0
	Population	6	6	6	6	6
	Rate per 100,000	0.0	0.0	0.0	0.0	0.0
	Percent of Total	0.0%	0.0%	0.0%	0.0%	0.0%
Hispanic	Number	0	0	0	0	0
	Population	76	77	80	82	83
	Rate per 100,000	0.0	0.0	0.0	0.0	0.0
	Percent of Total	0.0%	0.0%	0.0%	0.0%	0.0%
White	Number	2	4	4	0	2
	Population	766	769	768	763	760
	Rate per 100,000	261.1	520.2	520.8	0.0	263.2
	Percent of Total	66.7%	80.0%	80.0%	0.0%	33.3%
Other	Number	1	0	0	0	0
	Percent of Total	33.3%	0.0%	0.0%	0.0%	0.0%

Indicator 3: Admissions to Alcohol and Drug Treatment (Continued)

Figure 3.4
Alpine County
Treatment
Admission Rate
per 100,000
Population 10-69
by Primary Drug
Type




Figure 3.5
Alpine County
Treatment
Admission Rate
per 100,000
Population 10-69
by Client Age





Figure 3.6
Alpine County
Treatment
Admission Rate
per 100,000
Population 10-69
by Client Race/
Ethnicity



Indicator 3: Admissions to Alcohol and Drug Treatment (Continued)

Table 3.5
Characteristics of Clients Admitted to Alcohol and Drug Treatment

		2000		2001		2002		2003		2004	
TOTAL COUNTY ADMISSIONS		3	100.0%	5	100.0%	5	100.0%	0	100.0%	6	100.0%
Gender	Male	3	100.0%	3	60.0%	3	60.0%	0	0.0%	0	0.0%
	Female	0	0.0%	2	40.0%	2	40.0%	0	0.0%	6	100.0%
Age Initiated Substance Use	Under 10	1	33.3%	0	0.0%	1	20.0%	0	0.0%	0	0.0%
	11 to 12	0	0.0%	0	0.0%	1	20.0%	0	0.0%	1	16.7%
	13 to 14	1	33.3%	3	60.0%	0	0.0%	0	0.0%	0	0.0%
	15 to 17	0	0.0%	2	40.0%	1	20.0%	0	0.0%	5	83.3%
	18 to 20	0	0.0%	0	0.0%	2	40.0%	0	0.0%	0	0.0%
	21 and over	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
IV Drug Users	Yes	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
	No	3	100.0%	5	100.0%	5	100.0%	0	0.0%	6	100.0%
Pregnant	Yes	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%

Indicator 3: Admissions to Alcohol and Drug Treatment (Continued)

Table 3.6
AOD Treatment Admissions by Primary Drug Type, Percent of Total Admissions, and Rate per 100,000 Population 10-17 Years

		2000	2001	2002	2003	2004
TOTAL ADMISSIONS		0	0	0	0	1
Methamphetamines	Number	0	0	0	0	1
	Population 10-17	158	145	136	130	119
	Percent of Total	0.0%	0.0%	0.0%	0.0%	100.0%
	Rate per 100,000	0.0	0.0	0.0	0.0	840.3
Alcohol	Number	0	0	0	0	0
	Population 10-17	158	145	136	130	119
	Percent of Total	0.0%	0.0%	0.0%	0.0%	0.0%
	Rate per 100,000	0.0	0.0	0.0	0.0	0.0
Marijuana	Number	0	0	0	0	0
	Population 10-17	158	145	136	130	119
	Percent of Total	0.0%	0.0%	0.0%	0.0%	0.0%
	Rate per 100,000	0.0	0.0	0.0	0.0	0.0
Heroin	Number	0	0	0	0	0
	Population 10-17	158	145	136	130	119
	Percent of Total	0.0%	0.0%	0.0%	0.0%	0.0%
	Rate per 100,000	0.0	0.0	0.0	0.0	0.0
Crack/Cocaine	Number	0	0	0	0	0
	Population 10-17	158	145	136	130	119
	Percent of Total	0.0%	0.0%	0.0%	0.0%	0.0%
	Rate per 100,000	0.0	0.0	0.0	0.0	0.0
Other Drugs	Number	0	0	0	0	0
	Population 10-17	158	145	136	130	119
	Percent of Total	0.0%	0.0%	0.0%	0.0%	0.0%
	Rate per 100,000	0.0	0.0	0.0	0.0	0.0

Indicator 3: Admissions to Alcohol and Drug Treatment (Continued)

Table 3.7
AOD Treatment Admissions among Youth Under Age 18 by Client Race/Ethnicity, Rate per 100,000
Population 10 to 17, and Percent of Total Admissions

		2000	2001	2002	2003	2004
TOTAL ADMISSIONS UNDER 18 YEARS		0	0	0	0	1
Male	Number	0	0	0	0	0
	Population 10-17	71	67	61	59	56
	Rate per 100,000	0.0	0.0	0.0	0.0	0.0
	Percent of Total	0.0%	0.0%	0.0%	0.0%	0.0%
Female	Number	0	0	0	0	1
	Population 10-17	87	78	75	71	63
	Rate per 100,000	0.0	0.0	0.0	0.0	1587.3
	Percent of Total	0.0%	0.0%	0.0%	0.0%	100.0%
American Indian	Number	0	0	0	0	1
	Population 10-17	27	23	22	22	19
	Rate per 100,000	0.0	0.0	0.0	0.0	5263.2
	Percent of Total	0.0%	0.0%	0.0%	0.0%	100.0%
Asian/Pacific Islander	Number	0	0	0	0	0
	Population 10-17	0	0	0	0	0
	Rate per 100,000	0.0	0.0	0.0	0.0	0.0
	Percent of Total	0.0%	0.0%	0.0%	0.0%	0.0%
Black	Number	0	0	0	0	0
	Population 10-17	2	1	0	0	0
	Rate per 100,000	0.0	0.0	0.0	0.0	0.0
	Percent of Total	0.0%	0.0%	0.0%	0.0%	0.0%
Hispanic	Number	0	0	0	0	0
	Population 10-17	30	30	31	29	25
	Rate per 100,000	0.0	0.0	0.0	0.0	0.0
	Percent of Total	0.0%	0.0%	0.0%	0.0%	0.0%
White	Number	0	0	0	0	0
	Population 10-17	88	82	75	72	69
	Rate per 100,000	0.0	0.0	0.0	0.0	0.0
	Percent of Total	0.0%	0.0%	0.0%	0.0%	0.0%
Other	Number	0	0	0	0	0
	Percent of Total	0.0%	0.0%	0.0%	0.0%	0.0%

Alcohol and Drug-Related Crime

Key Findings

- In 2004 there were 40 arrests for drug-related crimes, significantly higher than 15 arrests in 2000. The rate of arrest in 2004 was 3784 arrests per 100,000, significantly higher than the statewide average of 1023 per 100,000.
- Over two-thirds of drug-related arrests in 2004 were for marijuana, a decrease from 80 percent in 2000. Dangerous drugs accounted for about 10 percent of drug-related arrests in 2004, and about 20 percent were for other drug violations.
- Of the 40 drug-related arrests in 2004, 23 were White, four were Hispanic, and four were American Indian.
- Over half of drug-related arrests in 2004 were for individuals between 18 and 24 years, and one-fourth were for individuals between 25 and 34 years. Another 10 percent were for individuals between 35 and 44 years, and five percent were for youth between 10 and 17 years.
- There were two arrests for drug-related crimes in 2004 for youth between 10 and 17 years, one female and one male.
- In 2004 there were 60 arrests for alcohol-related crimes, an increase from 43 in 2000. The rate of arrest in 2004 was 5676 arrests per 100,000, significantly higher than the statewide average of 1087 arrests per 100,000.
- Of the 60 alcohol-related arrests in 2004, 40 were for driving under the influence, 11 for drunkenness, and nine for liquor law violations.
- Roughly 78 percent of arrests for alcohol-related crime were White. About eight percent were American Indian, and about seven percent were Hispanic.
- Arrests for alcohol-related crimes in 2004 occurred for individuals of all age brackets. The highest proportion of arrests were for individuals between 35 and 44 years, who accounted for one-fourth of arrests, and for individuals between 45 and 54 years, who accounted for 23 percent of arrests. Youth between 10 and 17 years accounted for about seven percent of all arrests for alcohol-related crimes.
- Of the four youth arrested for alcohol-related crimes in 2004, two were male and two were female.



Indicator 4: Arrests for Drug-Related Crime

The number of felony and misdemeanor arrests for drug crimes, including dangerous drugs, narcotics, marijuana, and other drug violations and rate per 100,000 population 10 to 69 years.

Table/Figure 4.1
Number of Felony and Misdemeanor Arrests for Drug Offenses and Rate per 100,000 Population 10 to 69 Years

	2000	2001	2002	2003	2004
Number of Drug Arrests	15	28	46	44	40
Population 10-69	1,048	1,055	1,060	1,058	1,057
Rate per 100,000	1431.3	2654.0	4339.6	4158.8	3784.3
CALIFORNIA Rate per 100,000	961.8	930.4	939.7	985.7	1023.4




Table 4.2
Number of Felony and Misdemeanor Arrests for Drug Offenses by Specific Offense and Rate per 100,000 Population 10-69 Years

		2000	2001	2002	2003	2004
ALL DRUG ARRESTS		15	28	46	44	40
Dangerous Drugs	Number	2	3	5	1	4
	Population 10-69	1,048	1,055	1,060	1,058	1,057
	Rate per 100,000	190.8	284.4	471.7	94.5	378.4
	Percent of Total	13.3%	10.7%	10.9%	2.3%	10.0%
Narcotics	Number	0	1	0	0	1
	Population 10-69	1,048	1,055	1,060	1,058	1,057
	Rate per 100,000	0.0	94.8	0.0	0.0	94.6
	Percent of Total	0.0%	3.6%	0.0%	0.0%	2.5%
Marijuana	Number	12	23	37	43	27
	Population 10-69	1,048	1,055	1,060	1,058	1,057
	Rate per 100,000	1145.0	2180.1	3490.6	4064.3	2554.4
	Percent of Total	80.0%	82.1%	80.4%	97.7%	67.5%
Other Drug Violations	Number	1	1	4	0	8
	Population 10-69	1,048	1,055	1,060	1,058	1,057
	Rate per 100,000	95.4	94.8	377.4	0.0	756.9
	Percent of Total	6.7%	3.6%	8.7%	0.0%	20.0%

Indicator 4: Arrests for Drug-Related Crime (Continued)

Table 4.3
 Number of Arrests for Felony and Misdemeanor Drug Offenses
 by Race/Ethnicity of Offender and Rate per 100,000 Population 10-69 Years

		2000	2001	2002	2003	2004
ALL DRUG ARRESTS		15	28	46	44	40
American Indian	Number	0	0	0	0	4
	Population	161	163	165	166	167
	Rate per 100,000	0.0	0.0	0.0	0.0	2395.2
	Percent of Total	0.0%	0.0%	0.0%	0.0%	10.0%
Asian/Pacific Islander	Number	0	0	0	1	0
	Population	5	5	5	5	5
	Rate per 100,000	0.0	0.0	0.0	20000.0	0.0
	Percent of Total	0.0%	0.0%	0.0%	2.9%	0.0%
Black	Number	0	0	0	0	0
	Population	6	6	6	6	6
	Rate per 100,000	0.0	0.0	0.0	0.0	0.0
	Percent of Total	0.0%	0.0%	0.0%	0.0%	0.0%
Hispanic	Number	0	0	2	2	4
	Population	76	77	80	82	83
	Rate per 100,000	0.0	0.0	2500.0	2439.0	4819.3
	Percent of Total	0.0%	0.0%	4.3%	5.7%	10.0%
White	Number	15	21	37	32	23
	Population	766	769	768	763	760
	Rate per 100,000	1958.2	2730.8	4817.7	4194.0	3026.3
	Percent of Total	100.0%	75.0%	80.4%	91.4%	57.5%
Other	Number	0	7	7	0	9
	Percent of Total	0.0%	25.0%	15.2%	0.0%	22.5%

Indicator 4: Arrests for Drug-Related Crime (Continued)

Table 4.4
Number of Arrests for Felony and Misdemeanor Drug Offenses
by Age of Offender and Age-Specific Rate per 100,000 Population

		2000	2001	2002	2003	2004
ALL DRUG ARRESTS		15	28	46	44	40
10-17 Years	Number	1	0	6	3	2
	Population	158	145	136	130	119
	Rate per 100,000	632.9	0.0	4411.8	2307.7	1680.7
	Percent of Total	6.7%	0.0%	13.0%	6.8%	5.0%
18-24 Years	Number	9	17	20	16	21
	Population	131	141	151	154	154
	Rate per 100,000	6870.2	12056.7	13245.0	10389.6	13636.4
	Percent of Total	60.0%	60.7%	43.5%	36.4%	52.5%
25-34 Years	Number	2	9	15	16	10
	Population	124	131	133	134	140
	Rate per 100,000	1612.9	6870.2	11278.2	11940.3	7142.9
	Percent of Total	13.3%	32.1%	32.6%	36.4%	25.0%
35-44 Years	Number	2	0	2	2	4
	Population	219	203	188	177	169
	Rate per 100,000	913.2	0.0	1063.8	1129.9	2366.9
	Percent of Total	13.3%	0.0%	4.3%	4.5%	10.0%
45-54 Years	Number	0	2	3	6	1
	Population	242	253	258	258	251
	Rate per 100,000	0.0	790.5	1162.8	2325.6	398.4
	Percent of Total	0.0%	7.1%	6.5%	13.6%	2.5%
55-64 Years	Number	1	0	0	1	2
	Population	126	127	135	147	161
	Rate per 100,000	793.7	0.0	0.0	680.3	1242.2
	Percent of Total	6.7%	0.0%	0.0%	2.3%	5.0%
65+ Years	Number	0	0	0	0	0
	Population	128	141	156	169	182
	Rate per 100,000	0.0	0.0	0.0	0.0	0.0
	Percent of Total	0.0%	0.0%	0.0%	0.0%	0.0%

Indicator 4: Arrests for Drug-Related Crime (Continued)

Figure 4.2
Alpine County Drug
Arrest Rate per
100,000 Population
10-69 for Drug
Offenses




Figure 4.3
Alpine County Drug
Arrest Rate per
100,000 Population
10-69 by Client
Age Group





Figure 4.4
Alpine County Drug
Arrest Rate per
100,000 Population
10-69 by Client
Race/ Ethnicity



Indicator 4: Arrests for Drug-Related Crime (Continued)

Table 4.5
Number of Arrests for Felony and Misdemeanor Drug Offenses by Gender and Race among Underage Offenders and Rate per 100,000 Population 10-17 Years

		2000	2001	2002	2003	2004
ALL DRUG ARRESTS UNDER 18 YEARS		1	0	6	3	2
Male	Number	1	0	6	2	1
	Population 10-17	71	67	61	59	56
	Rate per 100,000	1408.5	0.0	9836.1	3389.8	1785.7
	Percent of Total	100.0%	0.0%	100.0%	66.7%	50.0%
Female	Number	0	0	0	1	1
	Population 10-17	87	78	75	71	63
	Rate per 100,000	0.0	0.0	0.0	1408.5	1587.3
	Percent of Total	0.0%	0.0%	0.0%	33.3%	50.0%
American Indian	Number	0	0	0	0	0
	Population 10-17	27	23	22	22	19
	Rate per 100,000	0.0	0.0	0.0	0.0	0.0
	Percent of Total	0.0%	0.0%	0.0%	0.0%	0.0%
Asian/Pacific Islander	Number	0	0	0	0	0
	Population 10-17	0	0	0	0	0
	Rate per 100,000	0.0	0.0	0.0	0.0	0.0
	Percent of Total	0.0%	0.0%	0.0%	0.0%	0.0%
Black	Number	0	0	0	0	0
	Population 10-17	2	1	0	0	0
	Rate per 100,000	0.0	0.0	0.0	0.0	0.0
	Percent of Total	0.0%	0.0%	0.0%	0.0%	0.0%
Hispanic	Number	0	0	0	0	0
	Population 10-17	30	30	31	29	25
	Rate per 100,000	0.0	0.0	0.0	0.0	0.0
	Percent of Total	0.0%	0.0%	0.0%	0.0%	0.0%
White	Number	1	0	3	3	1
	Population 10-17	88	82	75	72	69
	Rate per 100,000	1136.4	0.0	4000.0	4166.7	1449.3
	Percent of Total	100.0%	0.0%	50.0%	100.0%	50.0%
Other	Number	0	0	3	0	1
	Percent of Total	0.0%	0.0%	50.0%	0.0%	50.0%

Indicator 5: Arrests for Alcohol-Related Crime

The number of felony and misdemeanor arrests for alcohol-related crimes, including felony and misdemeanor driving under-the-influence, public drunkenness, and liquor law violations and rate per 100,000 population 10 to 69 years.

Table/Figure 5.1
Number of Felony and Misdemeanor Arrests for Alcohol Offenses and Rate per 100,000 Population 10 to 69 Years

	2000	2001	2002	2003	2004
Number of Alcohol Arrests	43	72	98	107	60
Population 10-69	1,048	1,055	1,060	1,058	1,057
Rate per 100,000	4103.1	6824.6	9245.3	10113.4	5676.4
CALIFORNIA Rate per 100,000	1238.2	1166.6	1124.7	1127.8	1087.4




Table 5.2
Number of Felony and Misdemeanor Arrests for Alcohol Offenses by Specific Offense and Rate per 100,000 Population 10-69 Years

		2000	2001	2002	2003	2004
ALL ALCOHOL ARRESTS		43	72	98	107	60
Driving-Under-the-Influence	Number	29	60	73	60	40
	Population 10-69	1,048	1,055	1,060	1,058	1,057
	Rate per 100,000	2767.2	5687.2	6886.8	5671.1	3784.3
	Percent of Total	67.4%	83.3%	74.5%	56.1%	66.7%
Drunk	Number	9	7	23	27	11
	Population 10-69	1,048	1,055	1,060	1,058	1,057
	Rate per 100,000	858.8	663.5	2169.8	2552.0	1040.7
	Percent of Total	20.9%	9.7%	23.5%	25.2%	18.3%
Liquor Law Violations	Number	5	5	2	20	9
	Population 10-69	1,048	1,055	1,060	1,058	1,057
	Rate per 100,000	477.1	473.9	188.7	1890.4	851.5
	Percent of Total	11.6%	6.9%	2.0%	18.7%	15.0%

Indicator 5: Arrests for Alcohol-Related Crime (Continued)

Table 5.3
 Number of Arrests for Felony and Misdemeanor Alcohol Offenses
 by Race/Ethnicity of Offender and Rate per 100,000 Population 10-69 Years

		2000	2001	2002	2003	2004
ALL ALCOHOL ARRESTS		43	72	98	107	60
American Indian	Number	6	4	9	8	5
	Population	161	163	165	166	167
	Rate per 100,000	3726.7	2454.0	5454.5	4819.3	2994.0
	Percent of Total	14.0%	5.6%	9.2%	7.5%	8.3%
Asian/Pacific Islander	Number	0	0	0	0	0
	Population	5	5	5	5	5
	Rate per 100,000	0.0	0.0	0.0	0.0	0.0
	Percent of Total	0.0%	0.0%	0.0%	0.0%	0.0%
Black	Number	2	0	1	1	0
	Population	6	6	6	6	6
	Rate per 100,000	33333.3	0.0	16666.7	16666.7	0.0
	Percent of Total	4.7%	0.0%	1.0%	0.9%	0.0%
Hispanic	Number	0	0	5	6	4
	Population	76	77	80	82	83
	Rate per 100,000	0.0	0.0	6250.0	7317.1	4819.3
	Percent of Total	0.0%	0.0%	5.1%	5.6%	6.7%
White	Number	34	65	79	89	47
	Population	766	769	768	763	760
	Rate per 100,000	4438.6	8452.5	10286.5	11664.5	6184.2
	Percent of Total	79.1%	90.3%	80.6%	83.2%	78.3%
Other	Number	1	3	4	3	4
	Percent of Total	2.3%	4.2%	4.1%	2.8%	6.7%

Indicator 5: Arrests for Alcohol-Related Crime (Continued)

Table 5.4
Number of Arrests for Felony and Misdemeanor Alcohol Offenses
by Age of Offender and Age-Specific Rate per 100,000 Population

		2000	2001	2002	2003	2004
ALL ALCOHOL ARRESTS		43	72	98	107	60
10-17 Years	Number	3	1	2	10	4
	Population	158	145	136	130	119
	Rate per 100,000	1898.7	689.7	1470.6	7692.3	3361.3
	Percent of Total	7.0%	1.4%	2.0%	9.3%	6.7%
18-24 Years	Number	10	9	19	23	10
	Population	131	141	151	154	154
	Rate per 100,000	7633.6	6383.0	12582.8	14935.1	6493.5
	Percent of Total	23.3%	12.5%	19.4%	21.5%	16.7%
25-34 Years	Number	4	16	21	23	9
	Population	124	131	133	134	140
	Rate per 100,000	3225.8	12213.7	15789.5	17164.2	6428.6
	Percent of Total	9.3%	22.2%	21.4%	21.5%	15.0%
35-44 Years	Number	15	19	28	23	15
	Population	219	203	188	177	169
	Rate per 100,000	6849.3	9359.6	14893.6	12994.4	8875.7
	Percent of Total	34.9%	26.4%	28.6%	21.5%	25.0%
45-54 Years	Number	9	15	22	24	14
	Population	242	253	258	258	251
	Rate per 100,000	3719.0	5928.9	8527.1	9302.3	5577.7
	Percent of Total	20.9%	20.8%	22.4%	22.4%	23.3%
55-64 Years	Number	1	11	3	2	7
	Population	126	127	135	147	161
	Rate per 100,000	793.7	8661.4	2222.2	1360.5	4347.8
	Percent of Total	2.3%	15.3%	3.1%	1.9%	11.7%
65+ Years	Number	1	1	3	2	1
	Population	128	141	156	169	182
	Rate per 100,000	781.3	709.2	1923.1	1183.4	549.5
	Percent of Total	2.3%	1.4%	3.1%	1.9%	1.7%

Indicator 5: Arrests for Alcohol-Related Crime (Continued)

Figure 5.2
Alpine County
Alcohol Arrest Rate
per 100,000
Population 10-69
for Alcohol
Offenses




Figure 5.3
Alpine County
Alcohol Arrest Rate
per 100,000
Population 10-69
by Client Age
Group





Figure 5.4
Alpine County
Alcohol Arrest Rate
per 100,000
Population 10-69
by Client Race/
Ethnicity



Indicator 5: Arrests for Alcohol-Related Crime (Continued)

Table 5.5
Number of Arrests for Felony and Misdemeanor Alcohol Offenses by Gender and Race among Underage Offenders and Rate per 100,000 Population 10-17 Years

		2000	2001	2002	2003	2004
ALL ALCOHOL ARRESTS UNDER 18 YEARS		3	1	2	10	4
Male	Number	1	1	2	5	2
	Population 10-17	71	67	61	59	56
	Rate per 100,000	1408.5	1492.5	3278.7	8474.6	3571.4
	Percent of Total	33.3%	100.0%	100.0%	50.0%	50.0%
Female	Number	2	0	0	5	2
	Population 10-17	87	78	75	71	63
	Rate per 100,000	2298.9	0.0	0.0	7042.3	3174.6
	Percent of Total	66.7%	0.0%	0.0%	50.0%	50.0%
American Indian	Number	1	1	1	1	0
	Population 10-17	27	23	22	22	19
	Rate per 100,000	3703.7	4347.8	4545.5	4545.5	0.0
	Percent of Total	33.3%	100.0%	50.0%	10.0%	0.0%
Asian/Pacific Islander	Number	0	0	0	0	0
	Population 10-17	0	0	0	0	0
	Rate per 100,000	0.0	0.0	0.0	0.0	0.0
	Percent of Total	0.0%	0.0%	0.0%	0.0%	0.0%
Black	Number	0	0	0	0	0
	Population 10-17	2	1	0	0	0
	Rate per 100,000	0.0	0.0	0.0	0.0	#DIV/0!
	Percent of Total	0.0%	0.0%	0.0%	0.0%	0.0%
Hispanic	Number	0	0	0	1	0
	Population 10-17	30	30	31	29	25
	Rate per 100,000	0.0	0.0	0.0	3448.3	0.0
	Percent of Total	0.0%	0.0%	0.0%	10.0%	0.0%
White	Number	2	0	1	8	2
	Population 10-17	88	82	75	72	69
	Rate per 100,000	2272.7	0.0	1333.3	11111.1	2898.6
	Percent of Total	66.7%	0.0%	50.0%	80.0%	50.0%
Other	Number	0	0	0	0	2
	Percent of Total	0.0%	0.0%	0.0%	0.0%	50.0%

Drinking and Driving

Key Findings

- In 2003 there was one fatality in alcohol-involved motor vehicle accidents, a decrease from three in 2000. The fatality rate in 2003 was 77.3 deaths per 100,000, significantly higher than the statewide average of 4.0 deaths per 100,000.
- There were eight alcohol-involved collisions in 2003, a decrease from 13 in 2000. Alcohol-involved collisions accounted for about nine percent of all collisions in 2003. The number of persons injured in alcohol-involved collisions decreased from 13 in 2000 to two in 2003.
- In 2003 there were eight parties who had been drinking in alcohol-involved accidents, a decrease from 14 in 2000. Of the eight parties in 2003, seven were male. Seven of the eight were White.
- Of the eight parties involved in alcohol-involved motor vehicle accidents, three were individuals between 35 and 44 years, two were for individuals between 25 and 34 years, and two were for individuals between 45 and 54 years. The remaining party was between 18 and 24 years.
- There was one underage party less than 21 years in an alcohol-involved accident in 2003, equivalent to the number in 2000.



Indicators 6: Alcohol-Involved Motor Vehicle Accidents

The number of alcohol-involved motor vehicle accidents and number of persons injured or killed and rate of admission per 100,000 population

Table/Figure 6.1
Alpine County Fatalities in Alcohol-Involved Accidents
and Rate per 100,000 with Comparison to Statewide Rates

	2000	2001	2002	2003
Number of Fatalities	3	3	1	1
Total Population	1,261	1,269	1,281	1,293
Rate per 100,000	237.9	236.4	78.1	77.3
CALIFORNIA Rate per 100,000	3.6	3.8	4.0	4.0
Healthy People 2010	4.0	4.0	4.0	4.0




Table 6.2
Alpine County Fatalities in Alcohol-Involved Accidents
as a Percent of Total Collisions

	2000	2001	2002	2003
Total Collisions (Alpine)	72	74	86	92
Total Alcohol-Involved Collisions	13	10	5	8
Alcohol-Involved Collisions as a Percent of Total	18.1%	13.5%	5.8%	8.7%
Number of Persons Killed	3	3	1	1
Number of Persons Injured	13	5	8	2

Healthy People 2010
U.S. Department of Health and
Human Services

*Reduce the number of
traffic fatalities involving
alcohol to 4.0 per 100,000
by the year 2010*

Indicator 6: Alcohol-Involved Motor Vehicle Accidents (Continued)

Table 6.3
Parties in Alcohol-Involved Accidents Who Had Been Drinking by Party Gender and Race and Rate per 100,000 Population Ages 16 and Over

		2000	2001	2002	2003
TOTAL PARTIES WHO HAD BEEN DRINKING IN ALCOHOL-INVOLVED ACCIDENTS		14	10	5	8
Male	Number	11	8	4	7
	Population	544	552	560	566
	Rate per 100,000	2022.1	1449.3	714.3	1236.7
	Percent of Total	78.6%	80.0%	80.0%	87.5%
Female	Number	3	2	1	1
	Population	477	487	497	506
	Rate per 100,000	628.9	410.7	201.2	197.6
	Percent of Total	21.4%	20.0%	20.0%	12.5%
Black	Number	**	**	0	0
	Population	6	6	6	6
	Rate per 100,000			0.0	0.0
	Percent of Total			0.0%	0.0%
Hispanic	Number	**	**	1	0
	Population	51	55	60	63
	Rate per 100,000			1666.7	0.0
	Percent of Total			20.0%	0.0%
White	Number	**	**	4	7
	Population	775	785	793	803
	Rate per 100,000			504.4	871.7
	Percent of Total			80.0%	87.5%
Other/Unknown	Number	**	**	0	1
	Percent of Total			0.0%	12.5%

Indicator 6: Alcohol-Involved Motor Vehicle Accidents (Continued)

Table 6.4
Parties in Alcohol-Involved Accidents Who Had Been Drinking by Age and Rate per 100,000 Population

		2000	2001	2002	2003
TOTAL PARTIES WHO HAD BEEN DRINKING		14	10	5	8
10-17 Years	Number	0	1	0	0
	Population	158	145	136	130
	Rate per 100,000	0.0	689.7	0.0	0.0
	Percent of Total	0.0%	10.0%	0.0%	0.0%
18-24 Years	Number	3	1	1	1
	Population	131	141	151	154
	Rate per 100,000	2290.1	709.2	662.3	649.4
	Percent of Total	21.4%	10.0%	20.0%	12.5%
25-34 Years	Number	2	2	1	2
	Population	124	131	133	134
	Rate per 100,000	1612.9	1526.7	751.9	1492.5
	Percent of Total	14.3%	20.0%	20.0%	25.0%
35-44 Years	Number	2	2	1	3
	Population	219	203	188	177
	Rate per 100,000	913.2	985.2	531.9	1694.9
	Percent of Total	14.3%	20.0%	20.0%	37.5%
45-54 Years	Number	5	2	1	2
	Population	242	253	258	258
	Rate per 100,000	2066.1	790.5	387.6	775.2
	Percent of Total	35.7%	20.0%	20.0%	25.0%
55-64 Years	Number	1	2	1	0
	Population	126	127	135	147
	Rate per 100,000	793.7	1574.8	740.7	0.0
	Percent of Total	7.1%	20.0%	20.0%	0.0%
65+ Years	Number	0	0	0	0
	Population	128	141	156	169
	Rate per 100,000	0.0	0.0	0.0	0.0
	Percent of Total	0.0%	0.0%	0.0%	0.0%
Other/Unknown	Number	1	0	0	0
	Percent of Total	7.1%	0.0%	0.0%	0.0%

Indicator 6: Alcohol-Involved Motor Vehicle Accidents (Continued)




Table 6.5 Underage Parties (<21 Years) in Alcohol-Involved Accidents Who Had been Drinking by Party Gender and Race and Rate per 100,000 Population Ages 16 – 20


		2000	2001	2002	2003
TOTAL PARTIES WHO HAD BEEN DRINKING IN ALCOHOL-INVOLVED ACCIDENTS		1	1	0	1
Male	Number	0	1	0	1
	Population	59	49	47	44
	Rate per 100,000	0.0	2040.8	0.0	2272.7
	Percent of Total	0.0%	100.0%	0.0%	100.0%
Female	Number	1	0	0	0
	Population	59	58	58	58
	Rate per 100,000	1694.9	0.0	0.0	0.0
	Percent of Total	100.0%	0.0%	0.0%	0.0%
Black	Number	**	**	0	0
	Population	2	2	2	2
	Rate per 100,000			0.0	0.0
	Percent of Total			0.0%	0.0%
Hispanic	Number	**	**	0	0
	Population	9	11	15	16
	Rate per 100,000			0.0	0.0
	Percent of Total			0.0%	0.0%
White	Number	**	**	0	1
	Population	80	70	61	58
	Rate per 100,000			0.0	1724.1
	Percent of Total			0.0%	100.0%

Indicator 6: Alcohol-Involved Motor Vehicle Accidents (Continued)

Table 6.6
Youth Who Have Ridden in a Car with Someone Who Had Been Drinking Percent of Youth Population by Gender in **Alpine, Amador, Calaveras, Inyo, Mariposa, Mono and Tuolumne** with Comparison to State Rates

	2001			2003		
	Total	Male	Female	Total	Male	Female
Estimated Number	5,000	4,000	2,000	6,000	3,000	3,000
Estimated Population	16,000	8,000	8,000	16,000	9,000	7,000
Percent of Total	33.3%	46.0%	20.3%	37.1%	31.3%	44.1%
CALIFORNIA Estimated Percent of Total	18.7%	19.0%	18.5%	20.0%	19.0%	21.0%

Figure 6.3
Percent of Youth Who Have Ridden in a Car with Someone Who Had Been Drinking



Healthy People 2010
U.S. Department of Health and
Human Services

Reduce the number of high school students who have ridden in a car with someone who had been drinking to 30% by the year 2010

Alcohol and Drug-Related Morbidity

Key Findings

- There were no hospitalizations due to alcohol and drug use in 2003, unchanged from 2000.




Indicator 7: Hospitalizations Due to Alcohol and Drug Use

The number of hospital admissions due to alcohol and drug-related causes and rate per 100,000 population.


Table/Figure 7.1
Number of Hospital Admissions Due to Alcohol and Drug-Related Causes (Combined) and Rate per 100,000 with Comparison to Statewide Rates

	2000	2001	2002	2003
Number of Admissions	0	0	**	0
Total Population	1,261	1,269	1,281	1,293
Hospitalization Rate per 100,000	0.0	0.0	**	0.0
CALIFORNIA Rate per 100,000	94.8	90.1	**	89.7




Table/Figure 7.2
Number of Hospital Admissions Due to *Alcohol-Related* Causes and Rate per 100,000 with Comparison to Statewide Rates

	2000	2001	2002	2003
Number of Admissions	0	0	**	0
Total Population	1,261	1,269	1,281	1,293
Hospitalization Rate per 100,000	0.0	0.0	**	0.0
CALIFORNIA Rate per 100,000	48.9	45.7	**	44.6



Table/Figure 7.3
Number of Hospital Admissions Due to *Drug-Related* Causes and Rate per 100,000 with Comparison to Statewide Rates

	2000	2001	2002	2003
Number of Admissions	0	0	**	0
Total Population	1,261	1,269	1,281	1,293
Hospitalization Rate per 100,000	0.0	0.0	**	0.0
CALIFORNIA Rate per 100,000	45.9	44.4	**	45.1



Indicator 7: Hospitalizations Due to Alcohol and Drug Use (Continued)

Table 7.4
Number of Hospital Admissions Due to Alcohol and Drug-Related Causes by Specific Cause

	2000		2001		2002		2003	
	N	%	N	%	N	%	N	%
TOTAL ALCOHOL-RELATED HOSPITALIZATIONS	0	100.0	0	100.0	**	**	0	100.0
Alcohol Psychosis	0	0.0	0	0.0	**	**	0	0.0
Alcohol Abuse	0	0.0	0	0.0	**	**	0	0.0
Alcohol Dependence Syndrome	0	0.0	0	0.0	**	**	0	0.0
Alcohol Gastritis	0	0.0	0	0.0	**	**	0	0.0
Alcoholic Liver Disease	0	0.0	0	0.0	**	**	0	0.0
Fetal Alcohol Syndrome	0	0.0	0	0.0	**	**	0	0.0
Alcohol Poisoning	0	0.0	0	0.0	**	**	0	0.0
Excessive Blood Level of Alcohol	0	0.0	0	0.0	**	**	0	0.0
TOTAL DRUG-RELATED HOSPITALIZATIONS	0	100.0	0	100.0	**	**	0	100.0
Drug Psychosis	0	0.0	0	0.0	**	**	0	0.0
Dependence								
Barbituates	0	0.0	0	0.0	**	**	0	0.0
Cannabis	0	0.0	0	0.0	**	**	0	0.0
Cocaine	0	0.0	0	0.0	**	**	0	0.0
Hallucinogen	0	0.0	0	0.0	**	**	0	0.0
Inhalant	0	0.0	0	0.0	**	**	0	0.0
Morphine	0	0.0	0	0.0	**	**	0	0.0
Stimulant	0	0.0	0	0.0	**	**	0	0.0
Combination	0	0.0	0	0.0	**	**	0	0.0
Unspecified	0	0.0	0	0.0	**	**	0	0.0
Maternal Drug Dependence	0	0.0	0	0.0	**	**	0	0.0
Abuse								
Amphetamine	0	0.0	0	0.0	**	**	0	0.0
Antidepressant	0	0.0	0	0.0	**	**	0	0.0
Cannabis	0	0.0	0	0.0	**	**	0	0.0
Cocaine	0	0.0	0	0.0	**	**	0	0.0
Hallucinogen	0	0.0	0	0.0	**	**	0	0.0
Morphine	0	0.0	0	0.0	**	**	0	0.0
Sedative	0	0.0	0	0.0	**	**	0	0.0
Other, Mixed or Unspecified	0	0.0	0	0.0	**	**	0	0.0
Drug Poisonings	0	0.0	0	0.0	**	**	0	0.0
Drug Exposure in Newborns	0	0.0	0	0.0	**	**	0	0.0
Fetal Damage due to Maternal Drug Use	0	0.0	0	0.0	**	**	0	0.0
Drug Polyneuropathy	0	0.0	0	0.0	**	**	0	0.0

** OSHPD admissions data not available for 2002.

Alcohol and Drug-Related Mortality

Key Findings

- There were no deaths due to alcohol and drug use in 2003, unchanged from 2000.



Indicator 8: Deaths Due to Alcohol and Drug Use

The number of deaths due to alcohol and drug-related causes and age adjusted death rate per 100,000 population.

Table/Figure 8.1
Number of Deaths Due to Alcohol and Drug-Related Causes and Age-Adjusted Rate per 100,000 with Comparison to Statewide Rates

	2000	2001	2002	2003
Number of Deaths	0	1	0	0
Total Population	1,261	1,269	1,281	1,293
Age Adjusted Death Rate per 100,000	0.0	68.7	0.0	0.0
CALIFORNIA Rate per 100,000	19.0	19.2	20.1	20.9




Table 8.2
Number of Deaths Due to Cirrhosis of the Liver and Rate per 100,000 with Comparison to Healthy People 2010 Objective

	2000	2001	2002	2003
Number of Deaths	0	1	0	0
Total Population	1,261	1,269	1,281	1,293
Age Adjusted Death Rate per 100,000	0.0	68.7	0.0	0.0
Healthy People 2010	3.2	3.2	3.2	3.2

Healthy People 2010
U.S. Department of Health and
Human Services

Objectives 26-2
*Reduce the rate of
cirrhosis deaths
to 3.2 per 100,000
by the year 2010.*

...

Objectives 26-3
*Reduce the rate of
drug-induced deaths
to 1.2 per 100,000
population
by the year 2010*

Table 8.3
Number of Drug-Induced Deaths and Rate per 100,000 with Comparison to Healthy People 2010 Objective

	2000	2001	2002	2003
Number of Deaths	0	0	0	0
Total Population	1,261	1,269	1,281	1,293
Age Adjusted Death Rate per 100,000	0.0	0.0	0.0	0.0
Healthy People 2010	1.2	1.2	1.2	1.2

Indicator 8: Deaths Due to Alcohol and Drug Use (Continued)

Table 8.4
Number of Deaths Due to Alcohol and Drug-Related Causes by Specific Cause

		2000		2001		2002		2003	
		N	%	N	%	N	%	N	%
TOTAL ALCOHOL AND DRUG-RELATED DEATHS		0	100.0	1	100.0	0	100.0	0	100.0
Deaths Due to Alcohol Use	Alcohol Psychosis	0	0.0	0	0.0	0	0.0	0	0.0
	Alcohol Abuse	0	0.0	0	0.0	0	0.0	0	0.0
	Alcohol Dependence Syndrome	0	0.0	0	0.0	0	0.0	0	0.0
	Alcoholic Polyneuropathy	0	0.0	0	0.0	0	0.0	0	0.0
	Degeneration of the Nervous System	0	0.0	0	0.0	0	0.0	0	0.0
	Alcoholic Myopathy	0	0.0	0	0.0	0	0.0	0	0.0
	Alcoholic Cardiomyopathy	0	0.0	0	0.0	0	0.0	0	0.0
	Alcoholic Gastritis	0	0.0	0	0.0	0	0.0	0	0.0
	Alcoholic Liver Disease	0	0.0	1	100.0	0	0.0	0	0.0
	Fetal Alcohol Syndrome	0	0.0	0	0.0	0	0.0	0	0.0
	Fetus and Newborn Affect by Maternal Use of Alcohol	0	0.0	0	0.0	0	0.0	0	0.0
	Alcohol Poisoning	0	0.0	0	0.0	0	0.0	0	0.0
	Intentional Self-Poisoning (Alcohol)	0	0.0	0	0.0	0	0.0	0	0.0
	Excessive Blood Level of Alcohol	0	0.0	0	0.0	0	0.0	0	0.0
	Alcohol-Induced Pancreatitis	0	0.0	0	0.0	0	0.0	0	0.0
Deaths Due to Drug Use	Accidental Drug Poisoning	0	0.0	0	0.0	0	0.0	0	0.0
	Intentional Self-Poisoning (Drug)	0	0.0	0	0.0	0	0.0	0	0.0
	Intentional Poisoning (Assault)	0	0.0	0	0.0	0	0.0	0	0.0
	Other Drug Poisonings	0	0.0	0	0.0	0	0.0	0	0.0
	Fetus and Newborn Affect by Maternal Use of Drugs	0	0.0	0	0.0	0	0.0	0	0.0
	Mental and Behavioral Disorders due to Use of...								
	... Opioids	0	0.0	0	0.0	0	0.0	0	0.0
	... Cannabinoids	0	0.0	0	0.0	0	0.0	0	0.0
	... Sedatives or Hypnotics	0	0.0	0	0.0	0	0.0	0	0.0
	... Cocaine	0	0.0	0	0.0	0	0.0	0	0.0
	... Stimulants	0	0.0	0	0.0	0	0.0	0	0.0
	... Hallucinogens	0	0.0	0	0.0	0	0.0	0	0.0
	... Solvents	0	0.0	0	0.0	0	0.0	0	0.0
	... Psychoactive Substances	0	0.0	0	0.0	0	0.0	0	0.0

Indicator 8: Deaths Due to Alcohol and Drug Use (Continued)

Table 8.5
Number of Deaths Due to Alcohol and Drug-Related Causes by Population Demographics of Decedents with Percent of Total Deaths

			2000	2001	2002	2003	
TOTAL ALCOHOL AND DRUG DEATHS			0	1	0	0	
Gender	Male	Number	0	0	0	0	
		Percent of Total	0.0%	0.0%	0.0%	0.0%	
	Female	Number	0	1	0	0	
		Percent of Total	0.0%	100.0%	0.0%	0.0%	
Age at Time of Death	10-17 Years	Number	0	0	0	0	
		Percent of Total	0.0%	0.0%	0.0%	0.0%	
	18-24 Years	Number	0	0	0	0	
		Percent of Total	0.0%	0.0%	0.0%	0.0%	
	25-34 Years	Number	0	0	0	0	
		Percent of Total	0.0%	0.0%	0.0%	0.0%	
	35-44 Years	Number	0	0	0	0	
		Percent of Total	0.0%	0.0%	0.0%	0.0%	
	45-54 Years	Number	0	0	0	0	
		Percent of Total	0.0%	0.0%	0.0%	0.0%	
	55-64 Years	Number	0	1	0	0	
		Percent of Total	0.0%	100.0%	0.0%	0.0%	
	65+ Years	Number	0	0	0	0	
		Percent of Total	0.0%	0.0%	0.0%	0.0%	
	Race	American Indian/ Alaskan Native	Number	0	0	0	0
			Percent of Total	0.0%	0.0%	0.0%	0.0%
Asian/ Pacific Islander		Number	0	0	0	0	
		Percent of Total	0.0%	0.0%	0.0%	0.0%	
Black		Number	0	0	0	0	
		Percent of Total	0.0%	0.0%	0.0%	0.0%	
Hispanic		Number	0	0	0	0	
		Percent of Total	0.0%	0.0%	0.0%	0.0%	
White		Number	0	1	0	0	
		Percent of Total	0.0%	100.0%	0.0%	0.0%	
Other/ Unknown		Number	0	0	0	0	
		Percent of Total	0.0%	0.0%	0.0%	0.0%	

Sources

Indicator	Agency	Print and Electronic Data Sources
Prevalence of Alcohol Use	UCLA Center for Health Policy Research, California Department of Health Services, Public Health Institute	California Health Interview Survey (CHIS)
Admissions to Alcohol and Other Drug Treatment	California Department of Alcohol and Drug Programs	California Alcohol and Drug Data System (CADDSS) Admissions Data
Alcohol and Drug-Related Crime	California Department of Justice, Office of the Attorney General, Criminal Justice Statistics Center	California Arrest Data 2000-2004
Drinking and Driving	California Highway Patrol (CHP)	Statewide Integrated Traffic Records System (SWITRS) 2000-2004
Alcohol and Drug-Related Hospitalizations	Office of Statewide Health Planning and Development (OSHPD)	California Hospital Discharge Data Set, 2000, 2001, 2003
Alcohol and Drug-Related Mortality	California Department of Health Services, Vital Statistics Section	Death Statistical Masterfile 2000-2003 California Health Status Profiles 2006





Center for Applied Research Solutions (CARS), Inc.
923 College Avenue
Santa Rosa, CA 95404
Phone: 707 568-3800
Fax: 707 568-3810
Toll Free 1-877-568-4227 (1-877-568-4CARS)
www.cars-rp.org

This publication was prepared by the Center for Applied Research Solutions (CARS), Inc.'s Community Prevention Initiative (CPI) Technical Assistance and Training contract funded by the California Department of Alcohol and Drug Programs (ADP).

The data system and analysis was developed by EMT Associates, Inc. and Premiere Data Services under a separate Small Business and Innovation Research (SBIR) contract funded by the National Institute on Drug Abuse (NIDA)